

BASIC SCIENCES · ANATOMY · ILLUSTRATED GUIDE

THE 11 BODY SYSTEMS

The 11 Body Systems in Veterinary Anatomy: Functions and Examples (PDF)

A domestic animal is usually described as having 11 body systems: integumentary, skeletal, muscular, nervous, endocrine, cardiovascular, lymphatic, respiratory, digestive, urinary and reproductive. Inside: Four labelled figures, six reference tables and a 15-question self-test.

Contents

The 11 sections of this guide, in order.

01	From atom to animal: the levels of organisation	02	The four tissues everything is built from
03	The 11 body systems	04	Shape, protection and movement: the integumentary, skeletal and muscular systems
05	The two control systems: nervous and endocrine	06	Transport and defence: the cardiovascular and lymphatic systems
07	Intake and elimination: the respiratory, digestive and urinary systems	08	Continuing the line: the reproductive system
09	Where the species differ, system by system	10	How the systems work together
11	Why this matters clinically	12	Quiz: test yourself
13	Body systems of domestic animals — frequently asked questions		

Figures reproduced for educational reference from *Anatomy and Physiology of Domestic Animals* and *Anatomy and Physiology of Farm Animals*; copyright remains with the original authors and publishers. Each figure is credited beneath it.

IN SHORT

A domestic animal is usually described as having **11 body systems**: integumentary, skeletal, muscular, nervous, endocrine, cardiovascular, lymphatic, respiratory, digestive, urinary and reproductive. This guide gives each one **what is in it** and **what it does**, then does the part most overviews skip — **where the dog, cat, horse, cow and bird actually part company**, and how the systems work together to hold one animal in balance. It is written as the map: every section points to the deeper guide for that system or species.

KEY POINTS

1. Most veterinary texts describe **11 body systems**. Where you see 10 or 12, an author has merged skeletal with muscular, or split immunity out of the lymphatic system — **the boundaries are filing conventions, not facts about the animal**.
2. Everything is built from **four primary tissues**: epithelial, muscle, nervous and connective. Bone, cartilage and blood are all connective tissue.
3. The levels run **chemical** → **cellular** → **tissue** → **organ** → **organ system** → **organismal**.
4. Several organs sit in **two systems at once** — the pancreas, the kidney, the gonads. That overlap is the clearest evidence the categories are ours, not the animal's.
5. The **nervous** system is fast and targeted; the **endocrine** system is slow and broadcast. Between them they control everything else.
6. **The digestive system is where species differ most** — a simple stomach, hindgut fermentation, a four-compartment ruminant stomach whose first three compartments are non-glandular forestomachs, or a crop and gizzard.
7. The **skin is the largest organ** in the body, and hoof, horn, feather, wool and claw are all the same system in different form.
8. Almost every system works to defend **homeostasis** — the reproductive system is the exception, serving the next generation rather than this one. A clinical sign is usually a system failing to hold something steady.

About the images

The diagrams are reproduced for educational reference from *Anatomy and Physiology of Domestic Animals*, 3rd ed. (Akers & Denbow, Wiley). Each figure is credited beneath it; copyright remains with the original authors and publishers.

What you should be able to do after reading this

Name all eleven systems from memory and say what each one contains and does · explain why different textbooks count 10, 11 or 12 · name the four primary tissues and give an example of each · place any organ on the ladder from chemical to organismal · name at least one organ that sits in two systems and say why · describe how the dog, horse, cow and bird differ in the digestive, respiratory and urinary systems · and narrate one demand — running, haemorrhage, a wound — through the three or four systems that answer it. That last one is what most exam questions are really testing.

Ask three textbooks how many **body systems of domestic animals** there are and you can get three answers — ten, eleven, twelve. That is not a sign that anatomy is vague. It is a sign that the body systems in veterinary anatomy are a *filing scheme we impose* on a continuous animal, and knowing that is the first genuinely useful thing to understand about them.

This guide takes the commonest scheme — **eleven systems** — and gives each one what it contains and what it does. Then it does the part most overviews skip: **where the species actually part company**. A body-systems page that works equally well for a dog and a cow is a page that has not told you anything about either. And because this is the map rather than the territory, every section points onward to the guide that covers it properly.

The short answer. Domestic mammals and birds are usually taught as **eleven body systems**: integumentary, skeletal, muscular, nervous, endocrine, cardiovascular, lymphatic, respiratory, digestive, urinary and reproductive. The rest of this guide takes them one at a time — what is in each, what it does, and where the species differ.

01 From atom to animal: the levels of organisation

Before the systems, the ladder they sit on. The animal body is organised in six levels, and each one is built from the level below it.




Fig 1 — The six levels of organisation. Reading round: **1 chemical** — here hydroxyapatite, the mineral of bone; **2 cellular** — an osteoclast; **3 tissue** — bone tissue in section; **4 organ** — a single bone; **5 organ system** — the whole skeleton; **6 organismal** — the animal. The example is deliberately followed all the way up one system, which is the clearest way to see that an *organ* is two or more tissues doing one job, and an *organ system* is organs doing one job.

Image — Akers RM, Denbow DM. *Anatomy and Physiology of Domestic Animals*, 3rd ed. Wiley — Fig. 1.2. Reproduced for educational reference.

Two definitions are worth memorising exactly, because examiners like them and because they settle most arguments about what belongs where. An **organ** is a discrete structure built from two or more tissue types dedicated to a particular function. An **organ system** is a group of organs that work together for a common function.

Why anatomy is taught three different ways

Systemic anatomy follows one system through the whole body — the approach of this article. **Regional** anatomy takes a region such as the head and covers every structure in it, which is how surgeons think. **Surface** anatomy deals with what you can see and palpate from outside, which is how a clinical exam works. You need all three, and they describe the same animal.

What a feedback loop actually looks like

Every homeostatic mechanism has the same three parts, and naming them is usually worth marks. A dog runs, and its core temperature rises. **Sensor**: thermoreceptors in skin and hypothalamus register the rise. **Integrating centre**: the hypothalamus compares it with the set point. **Effector**: panting, cutaneous vasodilation and behaviour shed the heat — and as temperature falls back, the stimulus to the sensor falls with it. That last part is what makes it *negative* feedback: the response switches off its own cause.

02 The four tissues everything is built from

Eleven systems, dozens of organs — and only **four primary tissue types** underneath all of it. Any cell or cellular product in the body can be filed into one of them.

TISSUE	WHAT IT IS	WHAT IT DOES	WHERE YOU MEET IT FIRST
Epithelium	Sheets of tightly packed cells covering a surface or lining a cavity, plus the glands derived from them. Sits on a basement membrane and is avascular — it is fed by diffusion from below	Covering and protection, glandular secretion, and the absorption, selective transport and filtration that happen across every boundary in the body	Skin, gut lining, airway lining, every gland
Muscle	Cells specialised to generate force — shortening, holding length, or lengthening under load. Three kinds: skeletal, cardiac and smooth	Movement, cardiovascular function and heat production	The limbs, the heart wall, the gut wall, blood-vessel walls
Nervous	Neurons plus the glial cells that support them	Signalling, control and the integration of every other system	Brain, spinal cord, and the nerves reaching every organ
Connective the odd one out: bone, cartilage and blood are all connective tissue	Relatively few cells in a large amount of extracellular matrix, which is what makes it so varied	Support, mineral storage and protection — and, as blood, transport	Bone, cartilage, tendon, fat, dermis, and blood itself

The one that trips people is **connective tissue**, because the category is so much wider than the name suggests. Bone, cartilage and blood are all connective tissues — cells scattered in an extracellular matrix, which happens to be mineralised in bone and liquid in blood. Once that lands, a great deal of histology stops looking arbitrary. If you want the microscope-level version, our cellular homeostasis guide starts one level down.

03 The 11 body systems

Here is the whole scheme in one place. Everything after this section is an expansion of one of these rows.




Fig 2 — The eleven organ systems, with an example of each. (A) integumentary · (B) skeletal · (C) muscular · (D) nervous · (E) endocrine · (F) cardiovascular · (G) lymphatic · (H) respiratory · (I) digestive · (J) urinary · (K) reproductive. Each panel shows one *example* of a system, not the whole of it — (D) is the brain, but the nervous system runs to every tissue in the body. Bear that in mind whenever a diagram makes a distributed system look like a single organ.

Image — Akers RM, Denbow DM. *Anatomy and Physiology of Domestic Animals*, 3rd ed. Wiley — Fig. 1.3. Reproduced for educational reference.

SYSTEM	WHAT IS IN IT	WHAT IT DOES
1 · Integumentary	Skin (epidermis and dermis), hair, wool, feathers, horn, hooves, claws, glands, and the subcutaneous fat and muscle beneath	The external covering: protection, preventing water loss, sensing the environment, temperature regulation and synthesising vitamin D
2 · Skeletal	Bones, cartilage, joints and ligaments	Support, protection and the levers for movement — and, less obviously, blood cell formation and mineral storage
3 · Muscular	Skeletal muscle and its tendons	Movement, maintaining posture, and generating heat
4 · Nervous	Brain, spinal cord, peripheral nerves and the sense organs	Sensory input, integration and motor output — the fast control system
5 · Endocrine	All hormone-secreting cells: pituitary, thyroid, parathyroid, adrenal, pancreatic islets, gonads and more	The slow control system. Hormones travel in blood to maintain the internal environment
6 · Cardiovascular	Heart, arteries, capillaries, veins and blood	Carries nutrients, gases, hormones and waste to and from every cell
7 · Lymphatic often taught together with immunity	Lymph vessels, lymph nodes, spleen, thymus, bone marrow and scattered lymphoid tissue	Returns filtered fluid to the blood, absorbs dietary fat through the intestinal lacteals , and houses the lymphocytes, antigen-presenting cells and phagocytes that mount an immune response

SYSTEM	WHAT IS IN IT	WHAT IT DOES
8 · Respiratory	Nostrils, nasal cavity, pharynx, larynx, trachea, bronchi and lungs	Supplies oxygen and eliminates carbon dioxide
9 · Digestive	Mouth to anus, plus the salivary glands, liver, exocrine pancreas, and a gallbladder in most species — the horse and the camelids have none	Breakdown and absorption of nutrients — and a major immunological barrier against the outside world
10 · Urinary	Kidneys, ureters, bladder and urethra	Eliminates nitrogenous waste, holds fluid and electrolytes in balance, and has its own endocrine role
11 · Reproductive	Ovaries or testes, the tubular tract, and the accessory glands — with the mammary gland alongside in mammals	Produces offspring, and in the female feeds them afterwards

The number is a convention, and knowing that is the point

Authors combine and separate systems in several ways, and these are the two you will meet most. Count **10** and the author has merged skeletal and muscular into a *musculoskeletal* system — defensible, since they are useless without each other. Count **12** and immunity has been lifted out of the lymphatic system, or lactation given its own place. Meanwhile the **pancreas** sits in two systems, the **kidney** in two, and the **pharynx** is shared by the digestive and respiratory tracts. The animal is continuous; the categories are ours.

How to hold eleven in your head: 3–2–2–3–1

Do not memorise an alphabetical list — memorise the *jobs*, and the count falls out of it. **3** give the body shape and move it (integumentary, skeletal, muscular) · **2** control it (nervous, endocrine) · **2** transport and defend (cardiovascular, lymphatic) · **3** handle intake and elimination (respiratory, digestive, urinary) · **1** continues the line (reproductive). **3 + 2 + 2 + 3 + 1 = 11**. The next five sections of this article are those five groups, in that order.

04 Shape, protection and movement: the integumentary, skeletal and muscular systems

Integumentary, skeletal and muscular. Together these three give the animal its form, protect what is inside, and move it about.

The **integument** is the boundary, and it is the most under-rated system on the list. The skin is the *largest organ in the body*, built of an outer **epidermis** and an underlying **dermis**. The epidermis is **avascular** — it has no blood supply of its own and is fed by diffusion from the dermis beneath, which is why wounds that destroy the dermis behave so differently from those that do not. Beyond covering, it prevents water loss, senses the environment and regulates temperature. It is also where **vitamin D₃** synthesis begins, under ultraviolet light — with an important exception you should carry into small-animal practice: the **dog and cat** synthesise very little in skin and depend on dietary vitamin D. And the same system makes hair, wool, feathers, horn, hoof and claw. Hair, wool and feathers are epidermal derivatives outright; the hoof and the true horn are more than epidermis — a keratinised epidermal sheath over a vascular dermis, and in the horn a bony cornual process of the frontal bone underneath. Worth holding onto when you reach the equine hoof.

The **skeleton** supports, protects and provides levers — and then does two things students routinely forget: it **forms blood cells** in marrow and **stores minerals**, principally calcium and phosphorus. Bone is metabolically busy tissue, not scaffolding. The **muscular** system moves those levers, holds posture, and generates a large share of the animal's heat — which is why shivering works. For the detail, see dog muscle anatomy and, one level down, how skeletal muscle contracts.

05 The two control systems: nervous and endocrine

Nervous and endocrine. Every other system needs telling what to do, and two systems are dedicated to doing the telling. Cells also signal locally by paracrine and autocrine routes, but only these two coordinate the animal as a whole.

The **nervous system** is the fast one: sensory input, integration, motor output, delivered as electrical signals to specific targets in milliseconds. The **endocrine system** is the slower one: hormones released into blood, reaching every cell but affecting only those with the right receptor. Treat fast-and-brief against slow-and-lasting as the general rule rather than a law — adrenaline acts within seconds, and a neural signal can leave changes behind long after it stops.

The distinction is real but not absolute

The **adrenal medulla** is functionally a piece of sympathetic nervous system that secretes a hormone. The **hypothalamus** is nervous tissue that controls the pituitary directly. Wherever the two systems meet, the anatomy tends to be genuinely ambiguous — which is a hint that the split is again ours rather than the animal's.

Neither system is optional and each covers the other's weakness: speed without persistence, persistence without precision. For the electrical half, see the action potential; for how nervous control is localised clinically, upper vs lower motor neuron signs.

06 Transport and defence: the cardiovascular and lymphatic systems

Cardiovascular and lymphatic. A single cell can supply itself by diffusion. An animal cannot, and everything about these two systems follows from that.

The **cardiovascular** system — heart, vessels and blood — carries oxygen, nutrients, hormones, immune cells and waste. Because it reaches every cell, it is also the route by which drugs, pathogens and tumour cells travel, which is why it appears in almost every disease process. See the cardiac cycle for how the pump works and blood pressure regulation for how its output is defended.

The **lymphatic** system does two jobs that seem unrelated until you see the plumbing. Capillaries leak: across a capillary bed there is a small net filtration of fluid into the tissue, and because little of it is reabsorbed back into the venule, it must be collected and returned or it accumulates. Lymphatics collect it and return it to the venous circulation — and when that return fails, the result is oedema. On the way, lymph is filtered through **lymph nodes** packed with phagocytic and immune cells, which is why the drainage map and the immune map are the same map, and why a node is examined when its territory is diseased.

07 Intake and elimination: the respiratory, digestive and urinary systems

Respiratory, digestive and urinary. These three are the animal's interfaces with the outside world: two bring things in, and two take things out.

The **respiratory** system supplies oxygen and eliminates carbon dioxide, and in most domestic mammals it also does a large share of heat loss — panting is a respiratory function before it is anything else. The **digestive** system breaks food down and absorbs it, and doubles as one of the body's largest **immunological barriers**: its lumen is technically outside the body and is exposed to everything the animal eats. The **urinary** system eliminates nitrogenous waste, holds fluid and electrolytes in balance, contributes to acid-base control, and works as an **endocrine** organ — producing erythropoietin, releasing renin, activating vitamin D. It is far more than a filter.

A useful way to see it

The lumen of the gut and the lumen of the airway are both *outside* the animal, in the topological sense. The gut is a tube open at both ends, running through the body; the airway is open at one end only and ends blindly at the gas-exchange surface. Both are continuous with the outside world. Nothing has truly entered the body until it has crossed an epithelium. That single idea explains why both tracts are so heavily defended, and why absorption, not ingestion, is the step that matters.

08 Continuing the line: the reproductive system

The **reproductive** system is the only one an individual can survive without, and the only one that differs fundamentally between the sexes. In the female it does not stop at producing offspring: in mammals the **mammary gland** — itself modified skin, so integumentary in origin — feeds them afterwards, which is why lactation is sometimes counted as a system of its own.

It is also the system where domestic species diverge most in *timing* rather than structure: the bitch cycles roughly twice a year — the Basenji and some northern breeds manage only once — the queen is seasonally polyoestrous and usually an induced ovulator, though spontaneous ovulation is documented, and the cow cycles about every three weeks year-round. Our dog heat cycle guide covers one pattern in full, and the canine spay shows the anatomy in a surgical context.

Checkpoint — before you read on

Cover the screen and name the eleven systems using 3-2-2-3-1. Then, for any three of them, say what is in it and what it does. If you can do that, the rest of this article is about the part that actually makes it *veterinary* — how the species differ. If you cannot, go back to the table above; recall practice now is worth more than reading on.

09 Where the species differ, system by system

This is the section that turns a generic overview into veterinary anatomy. Some systems are almost identical across the domestic species; others are so different that the same organ name means two unrelated things.

SYSTEM	WHERE THE SPECIES PART COMPANY	GO DEEPER
Digestive	The biggest divergence in the whole body. The dog and cat are simple-stomached carnivores; the horse is a hindgut fermenter with a vast caecum and colon; cattle, sheep and goats are foregut fermenters with four compartments; the bird has a crop, a proventriculus and a gizzard and finishes at a cloaca	Ruminant stomach anatomy · How the rumen works
Respiratory	Mammals ventilate blind-ended alveoli with a diaphragm. Birds have no diaphragm : air sacs pump air one way through rigid lungs, which is why avian respiration is the classic exam contrast	Avian anatomy
Urinary	Kidney architecture differs sharply — the dog and cat have a smooth unipyramidal kidney, cattle a lobulated one. Birds add a renal portal system and excrete uric acid rather than urea	Dog abdominal anatomy
Integumentary	The same system produces hair, wool, feathers, horn, hoof and claw. The equine hoof is the extreme case: a whole digit encased in modified epidermis	Horse hoof anatomy
Skeletal	The plan is conserved and the counts are not: cervical vertebrae are famously stable at seven in most mammals while thoracic, lumbar and sacral counts shift species by species, and birds fuse much of the trunk for flight	Comparative anatomy · Cattle anatomy
Muscular	Origins and insertions are broadly homologous across species, but the proportions change with locomotion — compare a greyhound's propulsive hindlimb with the horse's passive stay apparatus	Dog muscle anatomy · Horse anatomy
Lymphatic	Mammals filter lymph through nodes strung along the drainage routes. Most birds have none — among domestic species only the waterfowl (Anseriformes) have true encapsulated nodes — and birds add the cloacal bursa , where B-lymphocytes mature: well developed in the young bird and gone after sexual maturity	Avian anatomy
Nervous	The organisation is remarkably constant, which is exactly why neurolocalisation transfers between species. What changes is the degree of cerebral folding and the relative size of the olfactory apparatus	Upper vs lower motor neuron signs
Cardiovascular	The most conserved system in the body — a four-chambered heart and the same circuit in every domestic species. What differs is scale and detail: the ox and the sheep carry an os cordis in the heart's fibrous skeleton, and the bird runs a far higher heart rate and blood pressure than a mammal of its size	The cardiac cycle
Endocrine	The glands and their hormones are largely the same; what changes is the <i>timing</i> they drive. Seasonal breeding is the clearest case — in the ewe and the mare, day length decides when the reproductive year opens, while the cow and the sow cycle all year round	Blood pressure regulation
Reproductive	The uterus ranges from the bicornuate uterus of the bitch and queen to the horse's larger uterine body; cycle patterns differ just as much, and birds usually retain only the left ovary and oviduct	The dog heat cycle · Canine spay




Fig 3 — One organ, three animals: the stomach compared. The same organ in the **horse, pig and ruminant**, shaded by the type of lining. The horse and pig have a single compartment with a **non-glandular** region (the pale area, **e**) where the oesophagus enters, and glandular regions below it — cardiac (**c**), fundic or proper gastric (**f**) and pyloric (**p**). The ruminant is the outlier: the huge pale area is **all non-glandular forestomach** — rumen, reticulum and omasum — and only the small shaded portion at the end, the **abomasum**, is the true glandular stomach — the equivalent of the *glandular region* of the horse's stomach, not of the whole organ, since the horse keeps a non-glandular region of its own. That is why the cow is called a foregut fermenter, and why the abomasum is the only compartment that secretes acid.

Image — Fails AD, Magee C. *Anatomy and Physiology of Farm Animals*, 9th ed. Wiley — Fig. 20-12. Reproduced for educational reference.




Fig 4 — The other solution: the horse's hindgut. The horse ferments too, but *after* the small intestine rather than before it. Follow the letters in order: stomach (**a**), duodenum (**b**), jejunum (**c**) and ileum (**d**) — and then the enormous **caecum** (**e**) and colon, ascending or great (**f**), transverse (**g**) and descending (**h**), before the rectum (**i**). Put this beside the ruminant above and the species story is visible in two pictures: **ferment first, or ferment last**. That single choice explains much of the contrast between equine and bovine nutrition — though disease patterns also turn on organ geometry, motility, mesenteric attachments and how the animal is fed.

Image — Fails AD, Magee C. *Anatomy and Physiology of Farm Animals*, 9th ed. Wiley — Fig. 20-15. Reproduced for educational reference.

The same thing, by species

The table above is organised by system, which is how it is taught. If you are revising one animal, you want it the other way round.

SPECIES	THE ONE THING THAT MAKES IT DIFFERENT	WHERE IT SHOWS UP
Dog & cat	Both simple-stomached, with a short gut and a smooth unipyramidal kidney — but not nutritionally the same animal: the cat is an obligate carnivore while the dog is a facultative carnivore that digests a mixed diet perfectly well. The baseline most textbooks describe by default	Everything else here is easiest to learn as a <i>departure</i> from this plan — see dog anatomy and cat anatomy
Horse	Hindgut fermenter : small stomach, then a vast caecum and colon doing the fermenting. Cannot vomit	Colic risk, feeding little and often, and why prolonged anorexia is dangerous — hyperlipaemia, above all in ponies, miniature horses and donkeys
Cattle, sheep & goat	Foregut fermenter : four compartments, of which only the abomasum is truly glandular	Bloat, displaced abomasum, rumen fluid analysis, and the entire logic of ruminant nutrition
Pig	Simple stomach like the dog, but omnivorous with a larger caecum — anatomically the closest farm species to the human	Why the pig is the standard biomedical model, and why its gut sits between carnivore and horse
Bird	The biggest departure of all: no diaphragm , air sacs and unidirectional lungs, a crop and gizzard, a cloaca, uric acid instead of urea, usually one ovary, and in most species no lymph nodes	Almost every avian exam question. If you learn one contrast properly, learn this one
Rabbit & rodent	Hindgut fermenter like the horse, plus caecotrophy — eating a specialised soft faecal pellet to recover nutrients. Also cannot vomit	Gut stasis, dietary fibre requirements, and why a rabbit that stops eating is an emergency

Notice the pattern: the systems concerned with **control** and **transport** are strongly conserved, while those concerned with **getting food** and **coping with the environment** vary enormously. That is not a coincidence — a nerve impulse works the same way in every mammal, but what an animal eats and where it lives is exactly what evolution has had to solve differently. For the whole comparison in one place, see comparative veterinary anatomy.

10 How the systems work together

Systems are taught one at a time and never operate that way. Every one of them exists to defend **homeostasis** — the relatively constant internal environment that Claude Bernard called the *milieu intérieur* and Walter Cannon later named. Here is what that looks like in practice.

THE DEMAND	WHICH SYSTEMS ANSWER IT, TOGETHER
A dog starts to run	Nervous fires the motor neurons → muscular shortens against skeletal levers → cardiovascular raises output and respiratory raises ventilation to feed them → integumentary and respiratory shed the heat → endocrine mobilises fuel. Six systems, one behaviour
A cow eats grass	Digestive ferments cellulose the animal cannot digest itself → VFAs are absorbed and handled by the liver → cardiovascular distributes them → endocrine partitions them between maintenance, growth and milk → the mammary gland turns them into milk
Blood pressure falls	Baroreceptors (nervous) detect it → heart rate and vascular tone change (cardiovascular) → the kidney (urinary) releases renin and retains sodium and water → ADH and aldosterone (endocrine) hold the volume. Four systems defending one number
Something breaks the skin	Integumentary barrier is breached → lymphatic and immune cells arrive → cardiovascular delivers them and leaks fluid into the tissue → nervous reports pain so the animal protects the part

This is also the shape of most exam questions worth asking. “List the body systems” tests recall; “which systems respond when an animal haemorrhages, and in what order” tests whether you understand them. If you can narrate a demand through three or four systems, you know the material.

11 Why this matters clinically

The systems framework is not a first-year formality you leave behind. It is the structure clinicians actually work inside, every day.

CLINICAL HABIT	WHY THE SYSTEMS FRAMING IS WHAT MAKES IT WORK
Taking a history by system	The standard questioning runs through the systems in order precisely so that nothing is skipped. A framework you can recite is a framework you cannot forget halfway through a consultation

CLINICAL HABIT	WHY THE SYSTEMS FRAMING IS WHAT MAKES IT WORK
Localising a problem	Vomiting is not automatically digestive — it is also renal, hepatic, neurological, endocrine and toxic. Knowing which systems can produce a sign is what turns one clinical sign into a differential list
Reading a biochemistry panel	The panel is grouped by system: hepatic markers, renal markers, electrolytes, muscle enzymes. Without the systems map, the numbers are a list rather than a picture
Explaining disease to an owner	"The kidneys have stopped balancing water and waste" lands where a diagnosis name does not. Owners understand systems even when they do not understand pathology
Necropsy and physical examination	Both are performed as a systematic sweep through the systems, for exactly the reason a scanning sequence exists in ultrasound: you cannot skip what you always do

12 Quiz: test yourself

Fifteen questions on the levels, the tissues, the eleven systems and the species differences. Cover the answers first.

1. How many body systems does a domestic animal have? **Answer:** Most veterinary texts describe **11**: integumentary, skeletal, muscular, nervous, endocrine, cardiovascular, lymphatic, respiratory, digestive, urinary and reproductive. Some sources give 10 by merging skeletal and muscular into a musculoskeletal system, and others give 12 by separating immunity from the lymphatic system. **The boundaries are conventions, not facts about the animal.** 2. Name the four primary tissue types. **Answer:** **Epithelial** (covering and glandular), **muscle** (movement, cardiovascular function and heat), **nervous** (signalling, control and integration) and **connective** (support, mineral storage and protection). Bone, cartilage and blood are all connective tissues. 3. What are the levels of organisation, smallest to largest? **Answer:** **Chemical → cellular → tissue → organ → organ system → organismal**. An organ is two or more tissues working for one function; an organ system is organs working for one function. 4. Which organ belongs to two systems at once? **Answer:** The **pancreas** is the classic answer — exocrine acini serve the digestive system while the islets serve the endocrine system. The kidney is another: an organ of the urinary system that also secretes hormones. Systems overlap because they are a filing convention. 5. What is homeostasis, and who named it? **Answer:** The maintenance of a relatively constant internal environment. Claude Bernard described the *milieu intérieur* in the 19th century; **Walter Cannon** later coined the term **homeostasis**. Almost every organ system works to defend it — the reproductive system is the exception, serving the next generation rather than this one. 6. Why is the epidermis avascular, and what follows from it? **Answer:** It has no blood vessels of its own and is nourished by diffusion from the **dermis** beneath. That is why epidermal healing depends on an intact dermal blood supply, and why a wound that destroys the dermis heals so differently from one that does not. 7. Which body system produces hooves, horns, feathers and claws? **Answer:** All of them are **integumentary**. Hair, wool and feathers are epidermal derivatives outright; the hoof and the true horn are more than epidermis — a keratinised epidermal sheath over a vascular dermis, and in the horn a bony cornual process beneath. Recognising that the hoof and the feather belong to the same system is one of the more useful ideas in comparative anatomy. 8. Name three functions of the skeletal system that are not support or movement. **Answer:** **Protection** of the organs it encloses, **blood cell formation** in marrow, and **mineral storage** — principally calcium and phosphorus. Bone is a metabolically active organ, not scaffolding. 9. How do the nervous and endocrine systems divide the work of control? **Answer:** The **nervous** system is fast, targeted and short-lived — electrical signals to specific cells. The **endocrine** system is slower, broadcast through blood, and longer-acting. Many responses use both: the adrenal medulla is effectively a piece of nervous system secreting a hormone. 10. Which system returns fluid that has leaked out of capillaries? **Answer:** The **lymphatic** system. Fluid filtered out at the capillary bed is collected as lymph, passed through lymph nodes and returned to the venous circulation. When that return fails, the fluid stays in the tissue — oedema. 11. Why is the digestive system also an immune organ? **Answer:** Its lumen is technically **outside** the body, and it presents an enormous surface to food, microbes and antigens. Gut-associated lymphoid tissue makes it one of the largest immunological barriers the animal has. 12. Give one respiratory difference between a bird and a dog. **Answer:** The bird has **no diaphragm**. Air sacs move air unidirectionally through rigid lungs, whereas the dog ventilates blind-ended alveoli tidally using a diaphragm. 13. Which system is the largest organ of the body part of? **Answer:** The **integumentary** system — the skin is the largest organ in the body. 14. A patient is vomiting. Name four systems that could be responsible. **Answer:** **Digestive** (obstruction, inflammation), **urinary** (uraemia), **nervous** (vestibular disease, raised intracranial pressure) and **endocrine** (hypoadrenocorticism, ketoacidosis). Hepatic disease and toxins belong on the list too. This is why a clinical sign is not a diagnosis. 15. What does the urinary system do besides make urine? **Answer:** It maintains **fluid and electrolyte balance**, contributes to acid-base regulation, and acts as an **endocrine** organ — producing erythropoietin, releasing renin and activating vitamin D.

13 Body systems of domestic animals — frequently asked questions

How many body systems do animals have — 10, 11 or 12?

Eleven is the commonest answer in veterinary texts, and it is the number used throughout this guide. You will meet 10 where an author merges the skeletal and muscular systems into one musculoskeletal system, and 12 where immunity is separated from the lymphatic system or

lactation is treated on its own. None of these authors disagree about the animal — only about where to draw the filing lines. If an exam asks, give 11 and say why the number varies.

Is the immune system a body system?

It is usually taught as part of the **lymphatic** system, because the lymph nodes, spleen and thymus are where its cells live and work. Some textbooks give it a chapter of its own, which is reasonable — immune cells circulate everywhere and are not confined to lymphatic vessels. Either way, learn it attached to the lymphatic system and you will not lose marks.

What is the difference between an organ and an organ system?

An **organ** is a discrete structure built from two or more tissue types working for one function — the heart, the stomach, a kidney. An **organ system** is a group of organs working for a common function — the heart plus vessels plus blood is the cardiovascular system. The levels run chemical, cellular, tissue, organ, organ system, organismal.

Which is the largest organ in an animal's body?

The **skin**. It is easy to overlook because it is spread thin over the whole animal rather than packaged like a liver, but it is a true organ containing all four tissue types, and it belongs to the integumentary system.

Do all domestic species have all 11 systems?

All the domestic mammals do, and birds have all eleven — but one of them is built so differently it is worth stating plainly. **Most birds have no true lymph nodes at all.** Encapsulated nodes occur only in waterfowl (Anseriformes), as paired cervicothoracic and lumbar nodes; other birds rely on diffuse lymphoid tissue, the spleen, the thymus and the **cloacal bursa**. Add no diaphragm, a rigid lung ventilated by air sacs instead of a tidal one — gas exchange happens in the parabronchi of the lung, not in the sacs themselves — a cloaca instead of separate outlets, and usually only the left ovary and oviduct. The same eleven headings still fit every domestic mammal and bird; the anatomy inside them does not.

Which organs belong to more than one system?

Several, and it is worth knowing them. The **pancreas** is digestive and endocrine. The **kidney** is urinary and endocrine. The **gonads** are reproductive and endocrine. The **pharynx** is shared by the digestive and respiratory tracts — which is precisely why swallowing and breathing have to be coordinated so carefully.

What is the best order to learn the body systems in?

Learn them in the order the textbook you are examined on uses, because your exam will follow it. If you have a free choice, the grouping used here works well: the systems that give the body shape and move it, then the two that control it, then those that transport and defend, then those that take in and put out, then reproduction. Grouping by *job* is far easier to hold than an alphabetical list.

How does knowing the systems help in clinical practice?

It is the backbone of history taking, physical examination, necropsy and the way a biochemistry panel is grouped. Most importantly, it converts a clinical sign into a differential list: vomiting is not simply a digestive sign, and knowing which systems can produce it is what stops you narrowing too early.

Sources

1. Akers RM, Denbow DM. *Anatomy and Physiology of Domestic Animals*, 3rd ed. Wiley — source of the levels of organisation, the four primary tissues, the eleven-system scheme and both figures.
2. Dyce KM, Sack WO, Wensing C.JG. *Textbook of Veterinary Anatomy*, 5th ed. Elsevier — general anatomy and the species-by-species comparisons.
3. Fails AD, Magee C. *Anatomy and Physiology of Farm Animals*, 9th ed. Wiley — farm-species detail, lactation, poultry and camelids.
4. MSD/Merck Veterinary Manual — The Integumentary System in Animals — open-access reference on skin structure and function.
5. WikiVet — Integumentary System Overview — open veterinary teaching resource.

Vet-eBooks.com · free veterinary study guides · the full illustrated article, with every figure at full size, is at vet-ebooks.com/articles/body-systems-of-domestic-animals/

MORE FREE STUDY GUIDES • RESOURCES

More free veterinary study guides

This is one of a growing library of free veterinary study guides on vet-ebooks.com — written for practising vets and students, sourced from the standard veterinary texts, and every one free with a downloadable PDF and no sign-up.

3,400+

veterinary books

400+

drug profiles

Study guides

a free PDF with each

All free

no sign-up needed

www.vet-ebooks.com

For educational use. Always confirm doses and clinical decisions against current authoritative texts and your own clinical judgment. © vet-ebooks.com — share freely, do not modify.